Black Swallow-wort (Cynanchum Iouiseae)

Also called: Dog strangle vine, Louise's swallowwort, *Cynanchum nigrum*, *Vincetoxicum nigrum*

Family name: Milkweed (Asclepiadaceae)

Native range: Europe

NJ Status: Emerging Stage 1 - Rare (may be locally common). It is *highly threatening* to natural communities. All detected occurrences should be eradicated.

General description:

- Herbaceous, perennial, twining vine
- Grows to 6' long
- Stem is unbranched
- Stems and seed pods can persist through winter

Leaves:

- · Opposite, toothless
- Shiny, dark green
- Oval to lance-shaped
- 2"-5" long and 0.5"-2.5" wide



Flowers:

- <u>Dark purple or brown clusters</u> of 6-10 flowers
- Clusters are produced opposite each other
- Blooms May-July
- 5 petals are <u>fleshy and triangular</u> with short straight, <u>white hairs</u> on upper surface

Fruit:

- Occur in tapered seed pods, 1.5"-3" long
- Immature pods are green; brown when mature
- Individual seeds are brown and flat with a tuft of white hairs



Habitat:

Forest, edge, floodplain, wetland

Commercial Availability: Yes

Look-alikes: Smooth swallowwort (Cynanchum laeve)

<u>Native</u>, perennial twining vine

- Large clusters of white flowers
- Leaves have a distinct heartshaped base
- Fruit contained in pods, similar to milkweed pods
- NOTE: There are no records of Smooth swallowwort in NJ, but there are records from neighboring states

Pale swallowwort (Cynanchum rossicum)

- Highly invasive, twining, perennial vine
- Leaves are opposite, dark green, shiny
- Blooms June-July
- Flowers are pink to reddish, 5-petals, star-shaped clusters
- Fruit contained in pods, similar to milkweed pods
- Invades <u>upland</u> areas with a wide range of light and moisture conditions

Japanese honeysuckle (Lonicera japonica)

- Highly invasive twining, vine or groundcover
- Semi-evergreen
- Opposite, simple dark, lustrous green leaves





Invasive pale swallowort